

Standard Codecs

Other volumes in this series:

- Volume 9 **Phase noise in signal sources** W.P. Robins
- Volume 12 **Spread spectrum in communications** R. Skaug and J.F. Hjelmstad
- Volume 13 **Advanced signal processing** D.J. Creasey (Editor)
- Volume 19 **Telecommunications traffic, tariffs and costs** R.E. Farr
- Volume 20 **An introduction to satellite communications** D.I. Dalgleish
- Volume 25 **Personal and mobile radio systems** R.C.V. Macario (Editor)
- Volume 26 **Common-channel signalling** R.J. Manterfield
- Volume 28 **Very small aperture terminals (VSATs)** J.L. Everett (Editor)
- Volume 29 **ATM: the broadband telecommunications solution** L.G. Cuthbert and J.C. Sapanel
- Volume 31 **Data communications and networks, 3rd edition** R.L. Brewster (Editor)
- Volume 32 **Analogue optical fibre communications** B. Wilson, Z. Ghassemlooy and I.Z. Darwazeh (Editors)
- Volume 33 **Modern personal radio systems** R.C.V. Macario (Editor)
- Volume 34 **Digital broadcasting** P. Dambacher
- Volume 35 **Principles of performance engineering for telecommunication and information systems** M. Ghanbari, C.J. Hughes, M.C. Sinclair and J.P. Eade
- Volume 36 **Telecommunication networks, 2nd edition** J.E. Flood (Editor)
- Volume 37 **Optical communication receiver design** S.B. Alexander
- Volume 38 **Satellite communication systems, 3rd edition** B.G. Evans (Editor)
- Volume 40 **Spread spectrum in mobile communication** O. Berg, T. Berg, J.F. Hjelmstad, S. Haavik and R. Skaug
- Volume 41 **World telecommunications economics** J.J. Wheatley
- Volume 42 **Video coding: an introduction to standard codecs** M. Ghanbari
- Volume 43 **Telecommunications signalling** R.J. Manterfield
- Volume 44 **Digital signal filtering, analysis and restoration** J. Jan
- Volume 45 **Radio spectrum management, 2nd edition** D.J. Withers
- Volume 46 **Intelligent networks: principles and applications** J.R. Anderson
- Volume 47 **Local access network technologies** P. France
- Volume 48 **Telecommunications quality of service management** A.P. Oodan (Editor)
- Volume 49 **Standard codecs: image compression to advanced video coding, 2nd edition** M. Ghanbari
- Volume 50 **Telecommunications regulation** J. Buckley
- Volume 51 **Security for mobility** C. Mitchell (Editor)
- Volume 52 **Understanding telecommunications networks** A. Valdar
- Volume 53 **Video compression systems: from first principles to concatenated codecs** A. Bock
- Volume 904 **Optical fibre sensing and signal processing** B. Culshaw
- Volume 905 **ISDN applications in education and training** R. Mason and P.D. Bacsich

Standard Codecs

Image compression to
advanced video coding

3rd Edition

Mohammed Ghanbari

The Institution of Engineering and Technology

Published by The Institution of Engineering and Technology, London, United Kingdom

The Institution of Engineering and Technology is registered as a Charity in England & Wales (no. 211014) and Scotland (no. SC038698).

© 1999, 2003 The Institution of Electrical Engineers
© 2011 The Institution of Engineering and Technology

First published 1999 as *Video Coding: An introduction to standard codecs*
(0 85296 762 4)

Second edition published 2003 as *Standard Codecs: Image compression to advanced video coding* (0 85296 710 1)

Third edition 2011

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publisher at the undermentioned address:

The Institution of Engineering and Technology
Michael Faraday House
Six Hills Way, Stevenage
Herts, SG1 2AY, United Kingdom

www.theiet.org

While the author and publisher believe that the information and guidance given in this work are correct, all parties must rely upon their own skill and judgement when making use of them. Neither the author nor publisher assumes any liability to anyone for any loss or damage caused by any error or omission in the work, whether such an error or omission is the result of negligence or any other cause. Any and all such liability is disclaimed.

The moral rights of the author to be identified as author of this work have been asserted by him in accordance with the Copyright, Designs and Patents Act 1988.

British Library Cataloguing in Publication Data

A catalogue record for this product is available from the British Library

ISBN 978-0-86341-964-5 (paperback)

ISBN 978-1-84919-113-5 (PDF)

Typeset in India by MPS Ltd, a Macmillan Company
Printed in the UK by CPI Antony Rowe, Chippenham

Contents

| | |
|--|-------------|
| Preface to first edition | xix |
| Preface to second edition | xxi |
| Preface to third edition | xxii |
| 1 History of video coding | 1 |
| 2 Video basics | 9 |
| 2.1 Analogue video | 9 |
| 2.1.1 Scanning | 9 |
| 2.1.2 Colour components | 10 |
| 2.2 Digital video | 11 |
| 2.3 Image format | 12 |
| 2.3.1 SIF images | 12 |
| 2.3.2 Conversion from SIF to CCIR-601 format | 15 |
| 2.3.3 CIF image format | 16 |
| 2.3.4 Sub-QCIF, QSIF, QCIF | 18 |
| 2.3.5 HDTV | 18 |
| 2.3.6 Conversion from film | 19 |
| 2.3.7 Temporal resampling | 19 |
| 2.4 Picture quality assessment | 19 |
| 2.5 Problems | 22 |
| References | 23 |
| 3 Principles of video compression | 25 |
| 3.1 Spatial redundancy reduction | 25 |
| 3.1.1 Predictive coding | 25 |
| 3.1.2 Transform coding | 26 |
| 3.1.3 Mismatch control | 30 |
| 3.1.4 Fast DCT transform | 30 |
| 3.2 Quantisation of DCT coefficients | 31 |
| 3.3 Temporal redundancy reduction | 34 |
| 3.3.1 Motion estimation | 35 |
| 3.3.2 Fast motion estimation | 37 |
| 3.3.3 Hierarchical motion estimation | 39 |
| 3.4 Variable length coding | 40 |
| 3.4.1 Huffman coding | 41 |

| | | |
|----------|---|-----------|
| 3.4.2 | Arithmetic coding | 42 |
| 3.4.2.1 | Principles of arithmetic coding | 43 |
| 3.4.2.2 | Binary arithmetic coding | 46 |
| 3.4.2.3 | An example of binary arithmetic coding | 50 |
| 3.4.2.4 | Adaptive arithmetic coding | 53 |
| 3.4.2.5 | Context-based arithmetic coding | 53 |
| 3.5 | A generic interframe video codec | 54 |
| 3.5.1 | Interframe loop | 54 |
| 3.5.2 | Motion estimator | 54 |
| 3.5.3 | Inter/intra switch | 55 |
| 3.5.4 | DCT | 55 |
| 3.5.5 | Quantiser | 55 |
| 3.5.6 | Variable length coding | 55 |
| 3.5.7 | IQ and IDCT | 55 |
| 3.5.8 | Buffer | 55 |
| 3.5.9 | Decoder | 56 |
| 3.6 | Constant and variable bit rates | 56 |
| 3.7 | Problems | 56 |
| | References | 59 |
| 4 | Subband and wavelet | 61 |
| 4.1 | Why wavelet transform? | 61 |
| 4.2 | Subband coding | 62 |
| 4.3 | Wavelet Transform | 67 |
| 4.3.1 | Discrete wavelet transform | 69 |
| 4.3.2 | Multiresolution representation | 69 |
| 4.3.3 | Wavelet transform and filter banks | 72 |
| 4.3.4 | Higher-order systems | 74 |
| 4.3.5 | Wavelet filter design | 74 |
| 4.4 | Coding of the wavelet subimages | 78 |
| 4.4.1 | Quantisation by successive approximation | 78 |
| 4.4.2 | Similarities among the bands | 79 |
| 4.5 | EZW algorithm | 80 |
| 4.5.1 | Analysis of the algorithm | 82 |
| 4.6 | Set partitioning in hierarchical trees (SPIHT) | 82 |
| 4.6.1 | Coding algorithm | 85 |
| 4.7 | Embedded block coding with optimised truncation (EBCOT) | 87 |
| 4.7.1 | Bit plane quantisation | 88 |
| 4.7.2 | Conditional arithmetic coding of bit planes (tier 1 coding) | 88 |
| 4.7.3 | Fractional bit plane coding | 90 |
| 4.7.3.1 | Significance propagation pass | 92 |
| 4.7.3.2 | Magnitude refinement pass | 93 |
| 4.7.3.3 | Clean-up pass | 93 |
| 4.7.4 | Layer formation and bitstream organisation (tier 2 coding) | 96 |
| 4.7.5 | Rate control | 97 |

| | | |
|----------|---|------------|
| 4.8 | Problems | 98 |
| | References | 99 |
| 5 | Coding of still pictures (JPEG and JPEG2000) | 101 |
| 5.1 | Lossless compression | 102 |
| 5.2 | Lossy compression | 103 |
| 5.2.1 | Baseline sequential mode compression | 103 |
| 5.2.2 | Run length coding | 106 |
| 5.2.2.1 | Coding of DC coefficients | 106 |
| 5.2.2.2 | Coding of AC coefficients | 107 |
| 5.2.2.3 | Entropy coding | 108 |
| 5.2.3 | Extended DCT-based process | 109 |
| 5.2.4 | Hierarchical mode | 111 |
| 5.2.5 | Extra features | 113 |
| 5.3 | JPEG2000 | 113 |
| 5.4 | JPEG2000 encoder | 115 |
| 5.4.1 | Preprocessor | 115 |
| 5.4.1.1 | Tiling | 116 |
| 5.4.1.2 | DC-level shifting | 116 |
| 5.4.1.3 | Colour transformation | 116 |
| 5.4.2 | Core encoder | 117 |
| 5.4.2.1 | Discrete wavelet transform | 118 |
| 5.4.2.2 | Quantisation | 119 |
| 5.4.2.3 | Entropy coding | 119 |
| 5.4.3 | Postprocessing | 120 |
| 5.5 | Some interesting features of JPEG2000 | 121 |
| 5.5.1 | Region of interest | 122 |
| 5.5.2 | Scalability | 123 |
| 5.5.2.1 | Spatial scalability | 123 |
| 5.5.2.2 | SNR scalability | 124 |
| 5.5.3 | Resilience | 124 |
| 5.6 | Problems | 126 |
| | References | 127 |
| 6 | Coding for videoconferencing (H.261) | 129 |
| 6.1 | Video format and structure | 129 |
| 6.2 | Video source coding algorithm | 131 |
| 6.2.1 | Prediction | 132 |
| 6.2.2 | MC/NO_MC decision | 133 |
| 6.2.3 | Inter/intra decision | 134 |
| 6.2.4 | Forced updating | 135 |
| 6.3 | Other types of macroblocks | 135 |
| 6.3.1 | Addressing of macroblocks | 135 |
| 6.3.2 | Addressing of blocks | 136 |
| 6.3.3 | Addressing of motion vectors | 137 |

| | | |
|----------|---|------------|
| 6.4 | Quantisation and coding | 138 |
| 6.4.1 | Two-dimensional variable length coding | 139 |
| 6.5 | Loop filter | 141 |
| 6.6 | Rate control | 144 |
| 6.7 | Problems | 145 |
| | References | 146 |
| 7 | Coding of moving pictures for digital storage media (MPEG-1) | 149 |
| 7.1 | Systems coding outline | 150 |
| 7.1.1 | Multiplexing elementary streams | 151 |
| 7.1.2 | Synchronisation | 151 |
| 7.2 | Preprocessing | 151 |
| 7.2.1 | Picture reordering | 152 |
| 7.3 | Video structure | 154 |
| 7.3.1 | Group of pictures | 154 |
| 7.3.2 | Picture | 154 |
| 7.3.3 | Slice | 154 |
| 7.3.4 | Macroblock | 156 |
| 7.3.5 | Block | 157 |
| 7.4 | Encoder | 158 |
| 7.5 | Quantisation weighting matrix | 159 |
| 7.6 | Motion estimation | 160 |
| 7.6.1 | Larger search range | 161 |
| 7.6.2 | Motion estimation with half-pixel precision | 162 |
| 7.6.3 | Bidirectional motion estimation | 163 |
| 7.6.4 | Motion range | 164 |
| 7.7 | Coding of pictures | 165 |
| 7.7.1 | I-pictures | 165 |
| 7.7.2 | P-pictures | 166 |
| 7.7.3 | B-pictures | 167 |
| 7.7.4 | D-pictures | 168 |
| 7.8 | Video buffer verifier | 169 |
| 7.8.1 | Buffer size and delay | 170 |
| 7.8.2 | Rate control and adaptive quantisation | 171 |
| 7.9 | Decoder | 173 |
| 7.9.1 | Decoding for fast play | 174 |
| 7.9.2 | Decoding for pause and step mode | 175 |
| 7.9.3 | Decoding for reverse play | 175 |
| 7.10 | Postprocessing | 175 |
| 7.10.1 | Editing | 175 |
| 7.10.2 | Resampling and upconversion | 177 |
| 7.11 | Problems | 177 |
| | References | 178 |

| | |
|---|------------|
| 8 Coding of high-quality moving pictures (MPEG-2) | 179 |
| 8.1 MPEG-2 systems | 180 |
| 8.2 Profiles and levels | 183 |
| 8.3 How does the MPEG-2 video encoder differ from MPEG-1? | 185 |
| 8.3.1 Major differences | 185 |
| 8.3.2 Minor differences | 185 |
| 8.3.3 MPEG-1 and MPEG-2 syntax differences | 186 |
| 8.4 MPEG-2 nonscalable coding modes | 187 |
| 8.4.1 Frame prediction for frame pictures | 187 |
| 8.4.2 Field prediction for field pictures | 187 |
| 8.4.3 Field prediction for frame pictures | 188 |
| 8.4.4 Dual prime for P-pictures | 189 |
| 8.4.5 16×8 motion compensation for field pictures | 191 |
| 8.4.6 Restrictions on field pictures | 191 |
| 8.4.7 Motion vectors for chrominance components | 191 |
| 8.4.8 Concealment motion vectors | 192 |
| 8.5 Scalability | 192 |
| 8.5.1 Layering versus scalability | 193 |
| 8.5.2 Data partitioning | 194 |
| 8.5.3 SNR scalability | 196 |
| 8.5.4 Spatial scalability | 203 |
| 8.5.5 Temporal scalability | 205 |
| 8.5.6 Hybrid scalability | 208 |
| 8.5.6.1 Spatial and temporal hybrid scalability | 208 |
| 8.5.6.2 SNR and spatial hybrid scalability | 209 |
| 8.5.6.3 SNR and temporal hybrid scalability | 209 |
| 8.5.6.4 SNR, spatial and temporal hybrid scalability | 209 |
| 8.5.7 Overhead due to scalability | 211 |
| 8.5.8 Applications of scalability | 213 |
| 8.6 Video broadcasting | 215 |
| 8.7 Digital versatile disc | 216 |
| 8.8 Video over ATM networks | 217 |
| 8.9 Problems | 221 |
| References | 222 |
| 9 Video coding for low bit rate communications (H.263) | 225 |
| 9.1 How does H.263 differ from H.261 and MPEG-1? | 226 |
| 9.1.1 Coding of H.263 coefficients | 226 |
| 9.1.2 Coding of motion vectors | 227 |
| 9.1.3 Source pictures | 228 |
| 9.1.4 Picture layer | 229 |
| 9.2 Switched multipoint | 229 |
| 9.2.1 Freeze picture request | 230 |
| 9.2.2 Fast update request | 230 |
| 9.2.3 Freeze picture release | 230 |
| 9.2.4 Continuous presence multipoint | 230 |

| | | |
|---------|---|-----|
| 9.3 | Extensions of H.263 | 231 |
| 9.3.1 | Scope and goals of H.263+ | 231 |
| 9.3.2 | Scopes and goals of H.26L | 232 |
| 9.3.3 | Optional modes of H.263 | 232 |
| 9.4 | Advanced motion estimation/compensation | 233 |
| 9.4.1 | Unrestricted motion vector | 233 |
| 9.4.2 | Advanced prediction | 234 |
| 9.4.2.1 | Four motion vectors per macroblock | 234 |
| 9.4.2.2 | Overlapped motion compensation | 235 |
| 9.4.3 | Importance of motion estimation | 237 |
| 9.4.4 | Deblocking filter | 238 |
| 9.4.5 | Motion estimation/compensation with spatial transforms | 240 |
| 9.5 | Treatment of B-pictures | 245 |
| 9.5.1 | PB frames mode | 245 |
| 9.5.1.1 | Macroblock type | 246 |
| 9.5.1.2 | Motion vectors for B-pictures in PB frames | 246 |
| 9.5.1.3 | Prediction for a B-block in PB frames | 247 |
| 9.5.2 | Improved PB frames | 248 |
| 9.5.3 | Quantisation of B-pictures | 249 |
| 9.6 | Advanced variable length coding | 249 |
| 9.6.1 | Syntax-based arithmetic coding | 250 |
| 9.6.2 | Reversible variable length coding | 250 |
| 9.6.3 | Resynchronisation markers | 251 |
| 9.6.4 | Advanced intra/inter VLC | 252 |
| 9.6.4.1 | Advanced intra coding | 253 |
| 9.6.4.2 | Advanced inter coding with switching between two VLC tables | 255 |
| 9.7 | Protection against error | 256 |
| 9.7.1 | Forward error correction | 256 |
| 9.7.2 | Back channel | 257 |
| 9.7.3 | Data partitioning | 259 |
| 9.7.4 | Error detection by postprocessing | 262 |
| 9.7.5 | Error concealment | 265 |
| 9.7.5.1 | Intraframe error concealment | 265 |
| 9.7.5.2 | Interframe error concealment | 266 |
| 9.7.5.3 | Loss concealment | 270 |
| 9.7.5.4 | Selection of best-estimated motion vector | 271 |
| 9.8 | Scalability | 271 |
| 9.8.1 | Temporal scalability | 272 |
| 9.8.2 | SNR scalability | 272 |
| 9.8.3 | Spatial scalability | 273 |
| 9.8.4 | Multilayer scalability | 274 |
| 9.8.5 | Transmission order of pictures | 274 |
| 9.9 | Buffer regulation | 276 |
| 9.10 | Problems | 278 |
| | References | 279 |

| | | |
|-----------|---|------------|
| 10 | Content-based video coding (MPEG-4 visual) | 283 |
| 10.1 | Profiles and levels | 284 |
| 10.2 | Video object plane | 285 |
| | 10.2.1 Coding of objects | 287 |
| | 10.2.2 Encoding of VOPs | 287 |
| | 10.2.3 Formation of VOP | 287 |
| 10.3 | Image segmentation | 289 |
| | 10.3.1 Semiautomatic segmentation | 290 |
| | 10.3.2 Automatic segmentation | 290 |
| | 10.3.3 Image gradient | 291 |
| | 10.3.3.1 Nonlinear diffusion | 291 |
| | 10.3.3.2 Colour edge detection | 292 |
| | 10.3.4 Watershed transform | 293 |
| | 10.3.4.1 Immersion watershed flooding | 294 |
| | 10.3.4.2 Topological distance watershed | 294 |
| | 10.3.5 Colour similarity merging | 295 |
| | 10.3.6 Region motion estimation | 295 |
| | 10.3.7 Object mask creation | 295 |
| 10.4 | Shape coding | 297 |
| | 10.4.1 Coding of binary alpha planes | 297 |
| | 10.4.2 Chain code | 298 |
| | 10.4.3 Quad tree coding | 299 |
| | 10.4.4 Modified modified Reed | 302 |
| | 10.4.5 Context-based arithmetic coding | 304 |
| | 10.4.5.1 Size conversion | 305 |
| | 10.4.5.2 Generation of context index | 306 |
| | 10.4.6 Greyscale shape coding | 308 |
| 10.5 | Motion estimation and compensation | 309 |
| 10.6 | Texture coding | 310 |
| | 10.6.1 Shape-adaptive DCT | 310 |
| 10.7 | Coding of the background | 312 |
| 10.8 | Coding of synthetic objects | 314 |
| 10.9 | Coding of still images | 315 |
| | 10.9.1 Coding of the lowest band | 316 |
| | 10.9.2 Coding of higher bands | 316 |
| | 10.9.3 Shape-adaptive wavelet transform | 318 |
| 10.10 | Video coding with the wavelet transform | 319 |
| | 10.10.1 Virtual zero tree algorithm | 320 |
| | 10.10.2 Coding of high-resolution video | 322 |
| | 10.10.3 Coding of low-resolution video | 323 |
| 10.11 | Scalability | 326 |
| | 10.11.1 Fine granularity scalability | 326 |
| | 10.11.2 Object-based scalability | 327 |
| 10.12 | MPEG-4 versus H.263 | 328 |
| 10.13 | Problems | 330 |
| | References | 332 |

| | | |
|-----------|--|------------|
| 11 | Advanced video coding (H.264) | 335 |
| 11.1 | Picture format | 337 |
| 11.1.1 | Slicing | 337 |
| 11.1.2 | Slice types | 339 |
| 11.1.3 | An overview of the encoder | 339 |
| 11.1.4 | Progressive and interlaced coding | 340 |
| 11.1.5 | Macroblock syntax elements | 341 |
| 11.2 | Intra prediction | 341 |
| 11.2.1 | Intra 4×4 | 342 |
| 11.2.2 | Intra 16×16 | 343 |
| 11.2.3 | Chroma prediction | 343 |
| 11.2.4 | L_PCM | 344 |
| 11.3 | Inter prediction | 344 |
| 11.3.1 | Variable block size motion estimation | 344 |
| 11.3.2 | Motion estimation | 346 |
| 11.3.2.1 | Fast motion estimation in H.264 | 346 |
| 11.3.2.2 | Prediction selection | 347 |
| 11.3.2.3 | Early termination | 348 |
| 11.3.2.4 | Motion vector refinement | 348 |
| 11.3.3 | Fractional precision of motion vectors | 349 |
| 11.3.3.1 | Chroma interpolation | 351 |
| 11.3.4 | Motion compensation and slice type | 352 |
| 11.3.4.1 | P-skip | 352 |
| 11.3.4.2 | Motion compensation in B-slices | 352 |
| 11.3.4.3 | Multiple reference picture motion compensation | 353 |
| 11.3.4.4 | Multiple reference picture weighted prediction | 354 |
| 11.4 | Transformation and quantisation | 355 |
| 11.4.1 | Transformation | 355 |
| 11.4.2 | Quantisation | 358 |
| 11.5 | Deblocking filter | 359 |
| 11.5.1 | Boundary strength | 360 |
| 11.5.2 | Filtering decision | 360 |
| 11.5.3 | Filter implementation | 361 |
| 11.6 | Entropy coding | 362 |
| 11.6.1 | Exp-Golomb | 363 |
| 11.6.2 | CAVLC encoding for residual data | 364 |
| 11.6.2.1 | Encode number of coefficients and trailing 1s (<i>T1s</i>) | 364 |
| 11.6.2.2 | Encode sign of each <i>T1</i> | 365 |
| 11.6.2.3 | Encode levels of nonzero coefficients | 365 |
| 11.6.2.4 | Encode each run of zeros | 365 |
| 11.6.3 | CABAC: Context-adaptive binary arithmetic coding | 365 |
| 11.6.3.1 | Binarisation | 366 |
| 11.6.3.2 | Context modelling | 367 |
| 11.6.3.3 | Binary arithmetic coding | 369 |

| | | |
|-----------|--|-----|
| 11.7 | Rate distortion optimisation | 370 |
| 11.7.1 | Lagrangian optimisation technique | 370 |
| 11.7.2 | Optimisation process | 370 |
| 11.7.3 | Selection of λ | 371 |
| 11.8 | Error resilient encoding | 372 |
| 11.8.1 | Error detection | 373 |
| 11.8.2 | Flexible macroblock ordering (FMO) | 373 |
| 11.8.3 | Data partitioning | 375 |
| 11.8.4 | Intra-MB/IDR | 377 |
| 11.8.5 | Multiple reference pictures | 379 |
| 11.8.6 | Redundant slices | 380 |
| 11.8.7 | Stream switching | 381 |
| 11.8.7.1 | PSP-picture | 381 |
| 11.8.7.2 | SSP-picture | 381 |
| 11.8.7.3 | SI-picture | 382 |
| 11.8.7.4 | Switching between two streams | 382 |
| 11.8.7.5 | Error recovery | 383 |
| 11.8.7.6 | Encoding of switching pictures | 383 |
| 11.9 | Error concealment | 385 |
| 11.9.1 | Weighted pixel value averaging | 385 |
| 11.9.2 | Boundary matching based motion vectors | 385 |
| 11.10 | Profiles and levels | 387 |
| 11.11 | Compression gain and complexity of H.264 | 390 |
| 11.11.1 | Compression gain | 390 |
| 11.11.2 | Complexity | 393 |
| 11.12 | Scalable video coding | 394 |
| 11.12.1 | Temporal scalability | 394 |
| 11.12.2 | Spatial scalability | 396 |
| 11.12.2.1 | Prediction of macroblock modes | 397 |
| 11.12.2.2 | Prediction of residuals | 397 |
| 11.12.3 | Quality (SNR) scalability | 398 |
| 11.12.4 | Combined scalability | 401 |
| 11.12.5 | SVC profiles | 402 |
| 11.12.5.1 | Scalable baseline profile | 402 |
| 11.12.5.2 | Scalable high profile | 403 |
| 11.12.5.3 | Scalable high intra profile | 403 |
| 11.13 | Network abstraction layer | 403 |
| 11.13.1 | NAL header format | 404 |
| 11.13.2 | Parameter sets | 405 |
| 11.13.3 | Access unit | 406 |
| 11.13.4 | NAL type | 407 |
| 11.13.4.1 | NAL for SVC | 408 |
| 11.14 | Problems | 409 |
| | References | 410 |

| | | |
|-----------|--|------------|
| 12 | Content description, search and delivery (MPEG-7 and MPEG-21) | 413 |
| 12.1 | MPEG-7: multimedia content description interface | 414 |
| 12.1.1 | Description levels | 415 |
| 12.1.2 | Application area | 416 |
| 12.1.3 | Indexing and query | 417 |
| 12.1.4 | Colour descriptors | 418 |
| 12.1.4.1 | Colour space | 418 |
| 12.1.4.2 | Colour quantisation | 418 |
| 12.1.4.3 | Dominant colour(s) | 418 |
| 12.1.4.4 | Scalable colour | 419 |
| 12.1.4.5 | Colour structure | 419 |
| 12.1.4.6 | Colour layout | 419 |
| 12.1.4.7 | GOP colour | 419 |
| 12.1.5 | Texture descriptors | 420 |
| 12.1.5.1 | Homogeneous texture | 420 |
| 12.1.5.2 | Texture browsing | 420 |
| 12.1.5.3 | Edge histogram | 420 |
| 12.1.6 | Shape descriptors | 421 |
| 12.1.6.1 | Region-based shapes | 421 |
| 12.1.6.2 | Contour-based shape | 421 |
| 12.1.6.3 | Three-dimensional shape | 421 |
| 12.1.7 | Motion descriptors | 422 |
| 12.1.7.1 | Camera motion | 422 |
| 12.1.7.2 | Motion trajectory | 422 |
| 12.1.7.3 | Parametric motion | 423 |
| 12.1.7.4 | Motion activity | 423 |
| 12.1.8 | Localisation | 423 |
| 12.1.8.1 | Region locator | 423 |
| 12.1.8.2 | Spatio-temporal locator | 423 |
| 12.1.9 | Others | 424 |
| 12.1.9.1 | Face recognition | 424 |
| 12.2 | Practical examples of image retrieval | 424 |
| 12.2.1 | Texture-based image retrieval | 424 |
| 12.2.2 | Shape-based retrieval | 426 |
| 12.2.3 | Sketch-based retrieval | 428 |
| 12.3 | MPEG-21: multimedia framework | 430 |
| 12.3.1 | Digital item declaration | 430 |
| 12.3.2 | Digital item identification and description | 431 |
| 12.3.3 | Content handling and usage | 431 |
| 12.3.4 | Intellectual property and management | 431 |
| 12.3.5 | Terminal and networks | 432 |
| 12.3.6 | Content representation | 432 |
| 12.3.7 | Event reporting | 433 |
| | References | 433 |

| | | |
|-------------------|---|------------|
| Appendix A | A ‘C’ program for the fast discrete cosine transform | 435 |
| Appendix B | Huffman tables for the DC and AC coefficients of the JPEG baseline encoder | 439 |
| Appendix C | Huffman tables for quad tree shape coding | 443 |
| Appendix D | Frequency tables for the CAE encoding of binary shapes | 445 |
| Appendix E | Channel error/packet loss model | 449 |
| Appendix F | Solutions to the problems | 453 |
| Appendix G | Glossary of acronyms | 465 |
| Index | | 469 |