Introducing Geographic Information Systems with ArcGIS® Third Edition

A Workbook Approach to Learning GIS

Michael Kennedy

University of Kentucky



| Foreword | xxvii |
|--|--|
| Preface to Third Edition | xxix |
| Preface to First Edition | xxxv |
| Introduction | xliii |
| Basic Concepts of GIS | 1 |
| Some Concepts That Underpin GIS | 3 |
| You Ask: "What Is GIS About?" | 3 |
| And So You Ask Again: "What Is GIS About?" | 4 |
| EXERCISE 1-1 (PROJECT) | |
| Finding a Geographic Site by Manual Means | 5 |
| More of What GIS Is About | 10 |
| Next Steps: Seemingly Independent Things You Need To Know | 11 |
| Determining Where Something Is: Coordinate Systems | 12 |
| Determining Where Something Is: Latitude and Longitude | 14 |
| Geodesy, Coordinate Systems, Geographic Projections, and Scale | 15 |
| Projected Coordinate Systems | 15 |
| Geographic vs. Projected Coordinates: A Comparison | 17 |
| Two Projected Coordinate Systems: UTM and State Plane | 17 |
| Physical Dimensionality | 20 |
| Global Positioning Systems | 22 |
| Remote Sensing | 22 |
| | Preface to Third EditionPreface to First EditionIntroductionBasic Concepts of GISSome Concepts That Underpin GISYou Ask: "What Is GIS About?"And So You Ask Again: "What Is GIS About?"EXERCISE 1-1 (PROJECT)Finding a Geographic Site by Manual MeansMore of What GIS Is AboutNext Steps: Seemingly Independent Things You Need To KnowDetermining Where Something Is: Coordinate SystemsDetermining Where Something Is: Latitude and LongitudeGeodesy, Coordinate Systems, Geographic Projections, and ScaleProjected Coordinate Systems: UTM and State PlanePhysical DimensionalityGlobal Positioning Systems |

| Relational Databases | 23 |
|--|----|
| Searching (and Indexing) in General | 29 |
| Another Definition of GIS | 30 |
| Computer Software: In General | 32 |
| STEP-BY-STEP | 35 |
| EXERCISE 1-2 (PROJECT) | |
| Developing a Fast Facts File for the Information You Learn | 35 |
| Understanding the File Structure for the Exercises | 36 |
| EXERCISE 1-3 (MINOR PROJECT) | |
| Getting Set Up with ArcGIS | 37 |
| EXERCISE 1-4 (PROJECT) | |
| Looking at the ArcCatalog Program | 38 |
| Anatomy of the ArcCatalog Window | 39 |
| Setting Some Options | 40 |
| The Catalog Tree | 42 |
| Connecting to a Folder | 44 |
| The Toolbars and the Status Bar | 45 |
| An Optional Step | 49 |
| Exploring Basic GIS Data Storage Models | 50 |
| EXERCISE 1-5 (MAJOR PROJECT) | |
| Exploring Data with ArcCatalog—Fire Hydrants in a Village | 51 |
| Copying Data over to Your Personal Folder | 51 |
| Examining the Table | 54 |
| Deriving Information from the Table | 55 |
| Sorting the Records | 55 |
| Finding Values in a Table | 56 |
| Identifying Geographic Features and Coordinates | 57 |
| Looking at GeoGraphics | 58 |
| A First Look at Metadata | 59 |
| Using ArcCatalog to Place Data in ArcMap | 61 |

EXERCISE 1-6 (PROJECT)

| A Look at Some Spatial Data for the Wildcat Boat Facility | r Finding a Site for | 63 |
|---|-------------------------------|----|
| Using the Area on the Disk for Yo | our Own Work | 64 |
| Copying Data over to Your Persor | nal IGIS Folder | 64 |
| Searching for GIS Data | | 65 |
| Exploring Soils | | 70 |
| But Something Is Missing | | 71 |
| Is the Newly Found Data Applicat | ble? | 73 |
| Making a Personal Geodatabase | Feature Class from a Coverage | 74 |
| Looking at the Landcover Person | al Geodatabase Feature Class | 75 |
| Further Examining the Wildcat Bo | oat Facility Area Data Sets | 76 |
| EXERCISE 1-7 (PROJECT) | | |
| Looking at Wildcat Boat Data w | ith ArcMap | 79 |
| Seeing the Results of the Join | | 82 |
| EXERCISE 1-8 (PROJECT) | | |
| Understanding the ArcGIS Help | System | 82 |
| A Button for Instant Help: What's (for ArcGIS Desktop version 10 | | 82 |
| Getting Instant Help for a Tool or Desktop version 10.1) | Command (for ArcGIS | 83 |
| The Help System and Documenta | ation | 83 |
| ArcGIS Help across the Internet | | 84 |
| EXERCISE 1-9 (DULL STUFF) | | |
| Using ArcCatalog for Mundane O | perations | 85 |
| EXERCISE 1-10 (REVIEW) | | |
| Checking, Updating, and Organi | zing Your Fast Facts File | 86 |
| What's Next? | | 88 |
| CHAPTER 2 Characteristics and Examp | les of Spatial Data | 89 |
| The Original Form of Spatial Data | a: Maps | 89 |

| Moving Spatial Data from Maps to Computers: Forces for Change | 90 |
|--|-----|
| Spatial Data | 94 |
| Limiting the Scope | 95 |
| Spatial Data for Decision Making | 95 |
| Sets of Spatial Data: The Database | 95 |
| Spatial Databases: Inherent Difficulties | 96 |
| Information Systems | 101 |
| Uses for a Geographic Information System | 103 |
| STEP-BY-STEP | 113 |
| EXERCISE 2-1 (MOSTLY OUTSIDE) | |
| Appreciating Geographic Space and Spatial Data | 113 |
| EXERCISE 2-2 (SETUP) | |
| ArcMap Toolbar Examination and Review | 114 |
| EXERCISE 2-3 (MAJOR PROJECT) | |
| Exploring Different Types of Geographic Data | 117 |
| The Basic Difference between ArcCatalog and ArcMap | 117 |
| Exploring Data from the NAVSTAR Global Positioning System (GPS) | 117 |
| Preliminaries | 118 |
| Seeing the GPS File in ArcMap | 118 |
| Looking at the GPS Track in the Context of a Variety of GIS Data | 122 |
| A Potpourri of Types of Geographic Data | 122 |
| Displaying Layers from Vector-Based Datasets | 125 |
| Housekeeping: Saving and Restoring a Map | 127 |
| Selecting: Both Map Data and Attribute Data | 128 |
| Using the Measure Tool and the Identify Tool | 131 |
| County Boundaries and Polygons | 131 |
| TIGER/Line Files | 133 |
| The Table of Contents: Display vs. Source vs. Selection | 134 |
| | |

EXERCISE 2-4 (MAJOR PROJECT)

| | | 100 |
|-----------|--|-----|
| | Digital Raster Graphics and Cell-Based Files | 136 |
| | A Look (Optional) at How DRG Color Values Are Put Together | 140 |
| | Experimenting with Different Ways of Seeing Data | 141 |
| | Digital Orthophotos | 143 |
| | More TIGER/Line Files | 145 |
| | Another Tie between Attributes and Geographics | 148 |
| | More Housekeeping: Shutting Down and Restarting ArcMap | 149 |
| | Digital Elevation Model Files | 149 |
| | Comparing the DEM and the DRG | 153 |
| | Contour Line Files | 153 |
| | EXERCISE 2-5 (PROJECT) | |
| | Triangulated Irregular Networks | 155 |
| | TINs are Three-Dimensional Datasets | 158 |
| | Elevation Based on Massive Sets of Data: The Esri Terrain | 160 |
| | EXERCISE 2-6 (PROJECT) | |
| | Geodatasets of Soils, Rocks, and Land Cover | 161 |
| | The Summarizing Procedure | 162 |
| | Some Geological Data | 164 |
| | Rasters of Land Cover Data | 165 |
| | You Are Not Alone (Assuming you have an Internet connection) | 167 |
| | Next Steps on Your Own | 168 |
| | EXERCISE 2-7 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 168 |
| | The Next Chapter | 171 |
| CHAPTER 3 | Products of a GIS: Maps and Other Information | 173 |
| | GIS and Cartography—Compatibility? | 173 |
| | Products of a Geographic Information System | 174 |
| | Overall Requirements for Utility | 174 |
| | Classification of GIS Products | 175 |
| | Documenting Products | 177 |
| | | |

| Thoughts on Different Types of Products | 178 |
|--|-----|
| Don't Ignore Character-Based Information | 178 |
| Don't Hesitate to Sort Information | 178 |
| Consider Hard Copy | 179 |
| Consider Balance in Product Content | 179 |
| Elements of Product Design | 179 |
| Units, Projection, and Scale | 180 |
| Thoughts on Resolution and Scale | 180 |
| Making Sure There Is a Base Map | 180 |
| Measure of Quality Assurance | 181 |
| The Decision Maker–Product Interface | 181 |
| In Summary | 182 |
| STEP-BY-STEP | 183 |
| The Data View and the Layout View | 183 |
| EXERCISE 3-1 (WARM-UP) | |
| Templates | 184 |
| EXERCISE 3-2 (PROJECT) | |
| Templates That Contain Data | 186 |
| Controlling Your View of the Map: Zooming | 188 |
| Understanding the Panning and Other Controls | 189 |
| Adding Other Map Elements | 190 |
| EXERCISE 3-3 (MAJOR PROJECT) | |
| Data Frames | 192 |
| Adding Data to Data Frames | 193 |
| A Summary of the Graphic Indicators | 195 |
| Tinkering with the Map—Scale Bars | 195 |
| Locardo | |
| Legends | 196 |
| EXERCISE 3-4 (MINI PROJECT) | 196 |

| | EXERCISE 3-5 (MAJOR PROJECT) | |
|-----------|--|-----|
| | Making a Map of the Wildcat Boat Datasets | 201 |
| | EXERCISE 3-6 (MAJOR PROJECT) | |
| | Publishing Maps on the Internet | 201 |
| | EXERCISE 3-7 (MAJOR PROJECT) | |
| | Enhancing Communication: Styles, Layer Files, Layer Packages, Reports, Charts, and Graphics | 206 |
| | Layer Files | 206 |
| | Layer Packages | 209 |
| | Styles | 210 |
| | Adding and Using a Style | 211 |
| | Reports | 212 |
| | Charts and Graphs | 216 |
| | Graphics | 218 |
| | Making Graphics out of Geographic Features | 223 |
| | EXERCISE 3-8 | |
| | Checking, Updating, and Organizing Your Fast Facts File | 224 |
| CHAPTER 4 | Structures for Storing Geographic Data | 227 |
| | Why Is Spatial Data Analysis So Hard? | 227 |
| | How the Computer Aids Analyzing Spatial Data | 228 |
| | Complexity of Spatial Data | 228 |
| | Structures for Spatial Data | 229 |
| | Storage Paradigms for Areal Data | 230 |
| | Fundamental Bases of Geographic Data Models | 230 |
| | The Raster Data Model | 232 |
| | Vector Data Model | 234 |
| | A Multiplicity of "Storadigms" | 235 |
| | Vector-Based Geographic Datasets—Logical Construction | 235 |
| | Zero-Dimensional Entities in a Two-Dimensional Field: Points | 236 |
| | One-Dimensional Entities in a Two-Dimensional Field: Lines | 237 |
| | | |

| Adding Tools and Toolboxes to your Toolset | 262 |
|---|------------|
| EXERCISE 4-3 (MINOR PROJECT) | |
| More Help | 260 |
| A Look at Some Trivial Personal Geodatabase Feature Classes | 259 |
| EXERCISE 4-2 (WARM-UP) | |
| Meet ArcToolbox | 257 |
| EXERCISE 4-1 (WARM-UP) | |
| STEP-BY-STEP | 257 |
| | |
| Spatial Reference | 255 |
| TIN-Based Geographic Data Sets—Layout in the Computer | 254 |
| TINs | 253 |
| Raster-Based Geographic Data Sets—Layout in the Computer | 251 |
| Raster-Based Geographic Data Sets—Logical Construction | 250 |
| Summary of Logical Structures of Vector-Based GIS Datasets | 249 |
| Summarizing Vector Dataset Features | 249 |
| Shapefiles—Layout in the Computer | 248 |
| The Shapefile Data Structure | 247 |
| Objects—First Acquaintance | 247 |
| Geodatabases and Attributes | 245 |
| Nested Polygons in Geodatabases | 244 |
| Geodatabases—Feature Shape | 243 |
| Geodatabases—Layout in the Computer Geodatabases—Logical Construction | 243 243 |
| Polygons within Polygons—Perimeter and Area Calculations Geodatabases—Layout in the Computer | 241 243 |
| Geodatabase Software | 240 |
| The Geodatabase Data Structure | 240 |
| Specific Esri Spatial Vector Data Storage Mechanisms | 240 |
| Triangles and Multipatches | 239 |
| Three-Dimensional Entities in a Three-Dimensional Field: | |
| Two-Dimensional Entities in a Two-Dimensional Field: Polygons | 238 |

EXERCISE 4-4 (MINOR PROJECT)

| | Making a Personal Geodatabase Feature Class Named TextToFeature | 263 |
|-----------|--|-----|
| | Specification of your Input Text File for the "Create Features from Text File" Tool | 263 |
| | Labeling Features | 266 |
| | Making Polygons from Lines | 268 |
| | Areas and Perimeters Examined | 269 |
| | Labeling Features with Selected Attributes | 269 |
| | EXERCISE 4-5 (QUICK QUIZ) | |
| | Areas and Perimeters | 270 |
| | EXERCISE 4-6 (PROJECT) | |
| | Making a File Geodatabase Feature Class for Foozit_Court | 271 |
| | EXERCISE 4-7 (EXPLORATION) | |
| | Understanding Some Things That Don't Look Right | 272 |
| | Computers and Inexact Computation | 274 |
| | EXERCISE 4-8 (PROJECT) | |
| | Geodatabase Topology | 276 |
| | Creating a New Topology | 277 |
| | Specifying Which Feature Moves When Features Are Adjusted: Rank | 277 |
| | Topology Rules | 278 |
| | Validating Topology | 279 |
| | A Warning: Changes Made through Topology Are Permanent | 281 |
| | EXERCISE 4-9 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 281 |
| CHAPTER 5 | Geographic and Attribute Data: Selection, | |
| | Input, and Editing | 283 |
| | Concerns about Finding and Collecting Data | 283 |

| Looking for Data on the Internet | 284 |
|--|-----|
| Steps in Developing the Database | 284 |
| GPS and GIS | 289 |
| Anatomy of the Acronym: GPS | 291 |
| What Time Is It? | 294 |
| STEP-BY-STEP | 295 |
| EXERCISE 5-1 (WARM-UP) | |
| Looking at Areal Representations of the Real World | 295 |
| Looking at Reference Systems | 296 |
| Looking at Coordinate Systems | 298 |
| Using the Reference System to Discover the Boundary Coordinates of a State Plane Zone | 299 |
| Primary Lesson | 301 |
| EXERCISE 5-2 (PROJECT) | |
| Look at Geographic Data on the web | 301 |
| EXERCISE 5-3 (PROJECT) | |
| Digitizing and Transforming | 302 |
| A Plan for Digitizing and Transforming | 302 |
| Getting Started | 303 |
| Loading an Image File as a Layer in ArcMap | 303 |
| Loading the New, Blank Shapefile into ArcMap | 305 |
| Adding Line Features to a Shapefile by Using the Editing Facility in ArcMap | 305 |
| Converting a Shapefile to a Geodatabse Feature Class and Giving It Real-World Coordinates | 309 |
| Converting the Shapefile to a Geodatabase Feature Class | 310 |
| Moving the Foozit Court Feature Class into the Real World | 310 |
| EXERCISE 5-4 (PROJECT) | |
| Digitizing Directly into a Real-World Coordinate System | |
| in a Geodatabase | 314 |
| Preliminaries | 314 |

| Making the Feature Class That Will Be the Object of the Digitization | 315 |
|--|-----|
| Georeferencing | 315 |
| Moving the Sketch to UTM Zone 2 | 317 |
| Digitizing the Line Boundaries of the Islands | 318 |
| Making Polygons of the Digitized Lines | 318 |
| Making Multipart Polygons | 319 |
| Five islands divided by county and agency | 319 |
| Merging Multipart Polygons | 320 |

EXERCISE 5-5 (WARM-UP)

| Digitizing Geodatabase Polygons and Exploring Topology | 321 |
|--|-----|
| Making Copies of the Feature Class | 322 |
| Using "Clip" to Remove Overlaps from the Feature Class | 323 |
| Using Topology to Remove Overlaps from the Feature Class | 324 |

EXERCISE 5-6 (PROJECT)

| . , | |
|---|-----|
| Learning Some Editor Fundamentals | 326 |
| The Concept of the Edit Sketch | 326 |
| Making Sketches with Snapping | 326 |
| Experimenting with Editing Polygons | 329 |
| Experimenting with Editor's Union | 329 |
| Experimenting with the Editor's Intersect | 330 |
| Experimenting with the Editor's Buffer Capabilities | 330 |
| Using Undo, Redo, Copy, and Cut | 330 |
| Working with Line Editing Again | 331 |
| EXERCISE 5-7 (FOLLOW-ON) | |
| Adding the Sixth Island | 331 |
| Creating a 3-D Feature | 333 |
| EXERCISE 5-8 (PROJECT) | |
| Obtaining Field Data and Joining Tables | 335 |
| Organization | 336 |
| Environment and Measurement (Spatial Data) | 336 |
| | |

| | Measurements (Non-spatial Data) | 337 |
|-----------|---|-----|
| | Recording Data | 337 |
| | Team Assignments | 337 |
| | Undertaking the Data Entry Process | 338 |
| | Making a Table That Contains the Coordinate Data | 338 |
| | Making a Table That Contains the Student Data | 339 |
| | Populating the Student_Info Table with Data | 340 |
| | Joining the Two Tables to Make a Single Table | 340 |
| | Seeing the Results of the Join | 340 |
| | EXERCISE 5-9 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 342 |
| PART II | Spatial Analysis and Synthesis with GIS | 345 |
| CHAPTER 6 | Analysis of GIS Data by Simple Examination | 347 |
| | Information | 347 |
| | Computer Hardware—What a Computer Does | 349 |
| | Continuous and Discrete Phenomena | 352 |
| | Some Implications of Discrete Representation for GIS | 355 |
| | Scientific Notation, Numerical Significance, Accuracy, and Precision | 356 |
| | Precision vs. Accuracy | 356 |
| | Basic Statistics | 359 |
| | Putting Values into Classes | 361 |
| | Measurement Scales | 361 |
| | STEP-BY-STEP | 363 |
| | EXERCISE 6-1 (PROJECT) | |
| | Reviewing and Learning More of ArcMap | 363 |
| | Examining the Toolbars | 364 |
| | Pointing at Records | 365 |
| | Two Windows Are Available for Selecting | 365 |

| Categorization and Symbolization | 375 |
|---|-----|
| EXERCISE 6-2 (PROJECT) | |
| Changing Layer Properties | 371 |
| Layers and the Data Frames | 370 |
| Reviewing and Understanding Actions on the Table of Contents | 370 |
| Selecting by Location | 369 |
| Quick Selection of Features | 368 |
| Selecting Features (and, Thereby, Records) | 368 |
| Looking at the Other Capabilities of the Options Menu | 368 |
| Selecting Records (and, Thereby, Features) | 366 |
| | |

| Categorization and Symbolization | 375 |
|--|-----|
| Thinking about Maps Again | 375 |
| Classification (or Categorization) and Symbolization | 375 |
| User Selection of Classes | 377 |
| A More Careful Look at Equal Intervals | 379 |
| Defined Interval | 379 |
| Quantiles | 379 |
| Standard Deviation | 379 |
| Natural Breaks | 380 |
| Normalization | 381 |
| Using Charts and Graphs | 381 |
| Making a Layout | 382 |
| | |

EXERCISE 6-3 (SHORT PROJECT)

| Comparing Data Sets: Medically Underserved Areas | |
|---|-----|
| (MUAs) and Health Professional Shortage Areas (HPSAs) | 382 |

EXERCISE 6-4 (MAJOR PROJECT)

| Combining Demographic and Geographic Data | 386 |
|--|-----|
| Obtaining Data from the U.S. Bureau of the Census | 387 |
| Converting the Census Data Spreadsheet to dBASEIV Format | 388 |
| Using TIGER-Based Street and Block Shapefiles from Esri | 390 |

| | Assessing What We Have and What We Need to | |
|-----------|---|-----|
| | Solve the Problem | 394 |
| | Converting the Relevant Files to Cartesian Coordinates | 395 |
| | Finally | 395 |
| | EXERCISE 6-5 | |
| | Determining Proximity of Points to Lines and Other Points | 397 |
| | EXERCISE 6-6 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 399 |
| CHAPTER 7 | Creating Spatial Feature Classes Based on | |
| | Proximity, Overlay, and Attributes | 403 |
| | Generating Features Based on Proximity: Buffering | 403 |
| | Generating Features by Overlaying | 405 |
| | Overlaying with Line and Point Feature Classes | 407 |
| | Spatial Joins in General | 409 |
| | Deriving Feature Classes by Selecting Attributes: Extraction | 410 |
| | STEP-BY-STEP | 413 |
| | EXERCISE 7-1 (WARM-UP) | |
| | Making Trivial Buffers around a Trivial Feature Class | 413 |
| | EXERCISE 7-2 (PROJECT) | |
| | Exploring FEATURE CLASS Buffers with the Wildcat Boat Data | 415 |
| | Using ArcToolbox to Make Buffer Zones around the Roads | 416 |
| | Variable-Width Buffers | 417 |
| | EXERCISE 7-3 (PROJECT) | |
| | Manipulate Polygon Feature Classes with Union and Extract | 419 |
| | Make a New Feature Class from a Subset of Polygons: Extract | 423 |
| | More Complex Queries—And's and Or's | 425 |
| | Other Polygon Spatial Joins: Intersect and Identity | 425 |

| | EXERCISE 7-4 (PROJECT) Use Overlay and Extract with Trivial Point and | |
|-----------|--|-----|
| | Line Feature Classes | 426 |
| | EXERCISE 7-5 (PROJECT) | 429 |
| | Using Buffer and Overlay Together with Geodatabases | 429 |
| | The Getrich Saga | 429 |
| | Deriving Information by Combining Tables | 431 |
| | Overlaying the Feature Classes | 433 |
| | EXERCISE 7-6 (PROJECT) | |
| | Building a Model of the Getrich Project Solution | 435 |
| | Create a Python Script from the Gold Model | 439 |
| | Modify the Python Script from the Gold Model | 440 |
| | Execute the Python Script | 440 |
| | EXERCISE 7-7 (MINOR PROJECT) | |
| | Making Buffers for Solving the Wildcat Boat Problem | 441 |
| | EXERCISE 7-8 (PROJECT) | |
| | Finding a Site for the Wildcat Boat Facility | 442 |
| | EXERCISE 7-9 (PROJECT, OPTIONAL) | |
| | Solving a Revised Wildcat Boat Problem | 446 |
| | Understanding Dissolve | 446 |
| | Making New Sites that Including the COST_HA Field | 447 |
| | Considering the Site Eccentricity Criterion | 448 |
| | Making a Model of the Wildcat Boat Solution | 450 |
| | EXERCISE 7-11 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 452 |
| CHAPTER 8 | Spatial Analysis Based on Raster Data Processing | 453 |
| | A Really Different Processing Paradigm | 453 |
| | Facts about Rasters | 454 |

| Coordinate Space | 455 |
|--|-----|
| Rasters with Integer Cell Values | 456 |
| Rasters with Floating-Point Values | 459 |
| What Is Raster Storage and Processing Good For? | 459 |
| Rasters and Features | 461 |
| Rasters: Input, Computation, and Output | 461 |
| Where Raster Processing Shines: Cost Incurred Traveling over a Distance | 462 |
| Proximity Calculation with Rasters | 462 |
| Human Activity, Cost, and Distance | 463 |
| Euclidean Distances on the Raster | 463 |
| Euclidean Distance and the Spatial Analyst | 465 |
| Proving Pythagoras Right | 465 |
| Finding the Closest of Multiple Source Cells | 466 |
| Excluding Distances beyond a Certain Threshold | 467 |
| Other Factors That Influence Cost | 467 |
| The Cost Distance Mechanism | 468 |
| The Cost Distance Calculation | 468 |
| Path Calculation in Euclidean Distance and Cost Distance | 469 |
| Understanding How Total Costs Are Calculated | 470 |
| Getting More Information: Paths and Allocations | 471 |
| Direction and Allocation Rasters for Euclidean Distance | 471 |
| Direction and Allocation Rasters for Cost Distance | 471 |
| A Major Application of Raster Processing: Hydrology | 471 |
| Basic Surface Hydrology | 473 |
| Basic Surface Hydrology Concepts | 474 |
| Calculating Flow Direction | 474 |
| The Ultimate Destination of Water Is Off the Raster Area | 475 |
| Flow Accumulation: Drainage Delineation and Rainfall Volume | 476 |
| Nonuniform Rainfall | 477 |
| Calculating the Length of a Potential Linear Water Body | 478 |
| Assigning Identities to Streams | 479 |
| Vector vs. Raster Representation | 480 |

| Assigning Orders to Stream Links | 480 |
|---|-----|
| Watersheds and Pour Points | 481 |
| STEP-BY-STEP | 483 |
| EXERCISE 8-1 (PROJECT) | |
| Basic Raster Principles and Operations | 483 |
| The Raster Calculator—Integer Rasters | 486 |
| Arithmetic Calculation | 487 |
| Boolean Operations | 488 |
| Floating-Point Rasters | 489 |
| EXERCISE 8-2 (PROJECT) | |
| Solving the Original Wildcat Boat Problem with Rasters | 491 |
| Setting the General and Raster Environment | 491 |
| Converting Features to Rasters | 492 |
| Creating Rasters with Linear Features | 496 |
| Buffering with Spatial Analyst (Maybe) | 497 |
| Buffering—Plan B | 498 |
| Reclassifying the Data | 498 |
| Adding the Rasters with the Raster Calculator | 501 |
| Converting Zones to Regions to Find Individual Sites | 502 |
| EXERCISE 8-3 (PROJECT) | |
| Solving a Wildcat Boat Problem with Different Requirements | 503 |
| EXERCISE 8-4 (DEMONSTRATION) | |
| Making Surfaces with IDW, Spline, Trend, Nearest | 506 |
| Neighbor, and Kriging | 509 |
| Points and Density Thiessen, Dirichlet, Voronoi (and, of course, Decartes) | 509 |
| | |
| EXERCISE 8-5 (PROJECT) | |
| Rasters: Distance and Proximity | 511 |
| Making a Raster Showing Straight-Line Distances to a Single Place | 511 |
| io a single ridue | 51 |

| | Examining Many Source Cells and the Capping Distance | 514 |
|-----------|--|-----|
| | Developing a Raster with Cost Distance | 516 |
| | Creating Direction and Allocation Rasters | 518 |
| | Using Cost Distance to Make Direction and | |
| | Allocation Rasters | 519 |
| | Calculating a Least-Cost Path from "A" to "B" | 522 |
| | EXERCISE 8-6 (PROJECT) | |
| | Putting the Tools Together: Find a Site for a Regional Park | 523 |
| | Setting Things Up | 524 |
| | Preparing to Create a Cost Surface | 526 |
| | Building a Cost Surface | 527 |
| | Improving the Understandability of the Map | 529 |
| | EXERCISE 8-7 (PROJECT) | |
| | Watershed Analysis | 529 |
| | Examining the Surface with Various Spatial Analyst and 3D Tools | 530 |
| | Determining the Stream Channels | 533 |
| | Calculating Stream Order | 533 |
| | Numbering Each Stream Individually | 534 |
| | Identifying Basins | 534 |
| | Finding Pollution Culprits | 534 |
| | EXERCISE 8-8 (REVIEW) | |
| | Checking, Updating, and Organizing Your Fast Facts File | 535 |
| CHAPTER 9 | Other Dimensions, Other Tools, Other Solutions | 537 |
| | Two Different Third Dimensions: The Temporal | |
| | and the Vertical Spatial | 537 |
| | THE THIRD SPATIAL DIMENSION: OVERVIEW | 539 |
| | 3-D: 2-D (Spatial) Plus 1-D (Spatial) | 539 |
| | ArcScene | 539 |
| | ArcGlobe | 540 |

| THE THIRD SPATIAL DIMENSION: STEP-BY-STEP An (Almost) New Software Package: ArcScene | 541 541 |
|--|-------------------|
| EXERCISE 9-1 (PROJECT) | |
| Experimenting with 3-D | 542 |
| ArcScene | 542 |
| What's 3-D and What's Not | 543 |
| Viewing 3-D Data with Animation | 546 |
| Making a TIN and Other 3-D Representations of Elevation | 549 |
| Creating DEM files with Kriging | 551 |
| Creating a Map of Contour Lines | 553 |
| Two-and-a-Half Dimensions (2.5-D): Calculating Volumes | 553 |
| Calculating a Volume with ArcGIS | 554 |
| Other Neat Stuff You Can Do with 3D Analyst: Viewshed and Hillshade | 556 |
| A Closer Look at ArcGlobe and Adding Data to It | 558 |
| Making a Terrain | 560 |
| THE TIME DIMENSION: OVERVIEW | 567 |
| 3-D: 2-D (Spatial) Plus 1-D (Temporal) | 567 |
| THE TIME DIMENSION: STEP-BY-STEP | 569 |
| EXERCISE 9-2 (PROJECT) | |
| Looking at Infrastructure Changes Occurring over Time | 569 |
| Sliding through Time—Seeing Changes in Features at Intervals | 573 |
| ADDRESS GEOCODING: OVERVIEW | 575 |
| A Second Fundamental Way of Defining Location | 575 |
| TIGER/Line Files | 576 |
| Precision of the Geographic Coordinates in TIGER Files | 578 |
| Address Locators | 579 |
| ADDRESS GEOCODING: STEP-BY-STEP | 581 |
| EXERCISE 9-3 (PROJECT) | |
| Experimenting with Addresses and Coordinates | 581 |

| EXERCISE 9-5 (PROJECT) Experimenting within Linear Features Intersecting Route Events What's Not Covered Here EXERCISE 9-6 (REVIEW) Checking, Updating, and Organizing Your Fast Facts File Afterword: From Systems to Science by Michael Goodchild | 607 609 |
|--|------------|
| Experimenting within Linear Features Intersecting Route Events What's Not Covered Here EXERCISE 9-6 (REVIEW) | 607 |
| Experimenting within Linear Features Intersecting Route Events What's Not Covered Here | |
| Experimenting within Linear Features Intersecting Route Events | |
| Experimenting within Linear Features | 605 |
| | 603 |
| EXERCISE 9-5 (PROJECT) | 599 |
| | |
| LINEAR REFERENCING: STEP-BY-STEP | 599 |
| LINEAR REFERENCING: OVERVIEW | 597 |
| Allocating Territories to Facilities | 595 |
| Finding the Shortest Route to a Facility | 593 |
| Experimenting with Routes and Allocations | 589 |
| EXERCISE 9-4 (PROJECT) | |
| ANALYSIS OF NETWORKS: STEP-BY-STEP | 589 |
| ANALYSIS OF NETWORKS: OVERVIEW | 587 |
| More to Know—More Information Available | 586 |
| TIGER Files and ZIP Codes | 585 |
| Finding the Geographic Position of an Address "Automatically" | 584 |
| Making an Address Locator | 584 |
| Finding the Geographic Position of an Address "Manually" | 582 |